MATERIAL SAFETY DATA SHEET


BUTACHLOR 50% EW

"SUPER MIX"

Manufacturer/information service:

JAI SHREE RASAYAN UDYOG LTD. M-4, Aradhana Bhawan, Commercial Complex, Azadpur, Delhi-110 033 Telephone No. : 91-11- 45750100-40 Telefax : 91- 11- 45750140

1. Chemical Product Identification Product Name:	Butachlor
Molecular Formula:	C17H26CINO2
Molecular Weight:	311.5
Structural Formula:	~



Chemical Name:

N-butoxymethyl-2-chloro-2', 6'diethylacetanilide

Light yellow to Brown;

With a faint, sweet odour;

23184-66-9

Color:

Odor:

CAS No.:

2. Composition / Information on Ingredients Composition CAS No. Content

S. No.	Ingredients	%age	CAS No.
1	Butachlor Technical	58.030 % w/w	23184-66-9
	(based on 85% a.i.)		
2	Emulsifiers RDD-25	2.000 % w/w	5326-23-8
3	Dye (Gentian violet /	00.017 % w/w	8004-87-3
	methyl violet)		
4	DM Water	39.953 % w/w	7732-18-5.
		100.00 % w/w	
	Total:		

3. Hazards Identification

More important danger for the man:

Dangers for the environment:

Physical-chemical dangers:

4. First Aid Measures

Skin:

Eyes:

Inhalation:

Ingestion:

5. Fire-Fighting Measures

Extinguishing media To be used:

Don't use:

Particular risk: Measures of personal protection:

6. Accidental Release Measures

None

Toxic to aquatic; low accumulation;

Can decompose at high temperatures forming toxic gases.

Remove contaminated clothing and shoes, flush with plenty of water and soap. Flush with plenty of clear water for 15-20 minutes. Move affect person to fresh air and keep at rest until recovered. If not breathing, give artificial respiration and get to a doctor. Do not induce vomiting; drink plenty of water. Then see doctor immediately.

Water spray, foam, dry chemical powder and carbon oxide. Not applicable

None. Safety glasses or goggles, rubber gloves, shoes plus socks, longsleeved shirt, and long pants.

Personal cautions:		The product is harmful if inhaled or swallowed. Will irritate the eyes, nose, throat and skin. Avoid inhaling spray mist. Keep people and animals away and upwind.	
Environme 7. Handling And	Cleaning methods	EX : clear the liquid formation. Transfer to a properly labelled deposit that will be closed and sealed until the recovery of climination of the product.	
	Environmental cautions Indling And Storage Handling:	EX : prevent the contamination of the floor and of beds of water. Keep out of reach of children.	
8 Exr	Storage:	Avoid contact with the eyes, skin and clothing and avoid inhalation of product or spray mist. If in eyes, wash it immediately with water. After handling and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. Do not contaminate food or use on household tanks. Store in the closed, original container in a dry, cool, well- ventilated area, secure area at minimum storage temperatures. Store in locked room or place away from children, animals, food, animal feed, seed and fertilizers.	
0. באף	Personal protective equipment:	Full-length overalls	
	Respiratory protection:	Approved respirator.	
	Protective gloves:	Rubber gloves	
	Eye protection:	Safety goggles or face shield.	
	Industrial hygiene:	Ventilation	
9. Phy	vsical And Chemical Properties Melting point:	> 5 °C	

Density:	1.070(25 °C);		
Water solubility:	20 mg/l (20 °C)		
Vapor pressure:	0.6mPa		
Other solubility:	Soluble in most organic solvents, including diethyl ether, acetone, benzene, ethanol, ethyl acetate, and hexane;		
Acidity :	≤0.2% as H₂SO₄		
Flash point: 10. Stability And Reactivity	>135 $^{\circ}\mathrm{C}$ (Tag closed cup);		
Conditions to avoid:	Avoid heat and fire.		
Products to avoid:	Not applicable		
Thermal decomposition:	Not applicable		
Hazardous decomposition products	s: Toxic gases.		
Hazardous reaction: 11. Toxicological Information	None;		
Acute oral Acute dermal Contact with the skin: Contact with the eyes: Inhalation:	LD ₅₀ for rat:>5010mg/kg LD ₅₀ for rat:>2150mg/kg Moderate irritation to skin of rabbit; Slight irritation to eyes Not applicable;		
Sensitization:	No-sensitive;		
12. Ecological And Ecotoxicological Inf Fish:	LC ₅₀ (96 h) for rainbow trout 0.52, bluegill sunfish 0.44, carp 0.32, channel catfish $0.10 \Box 0.14$, fathead minnow 0.31 mg/l. Daphnia LC ₅₀ (48 h) 2.4 mg/l. LC ₅₀ (96 h) for crayfish 26 mg/l.		
Bird:	Acute oral LD ₅₀ for mallard ducks >4640 mg/kg. Dietary LC ₅₀ (5 d) for mallard ducks >10000, bobwhite quail 6597 mg/kg diet.		
Bee.:	LD ₅₀ (contact) >100µg/bee;		
13. Disposal Considerations			
Product:	Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state and environmental regulations.		
14. Transport Information			
Class: 6.1 UN	Class: 6.1 UN No.: 2769		

15. Regulatory Information

Not applicable

16. Other Information

All information and instructions provided in this MSDS are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and are presented in food faith and believed to be correct. This information applies to the product as such. In case of formulations or mixes, it is necessary to ascertain that a new danger will not appear. It is the responsibility of persons in receipt of this MSDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any come in contact with the product. If the recipient subsequently produce formulations containing this product, it is the recipients sole responsibility to ensure the transfer of all relevant information from this MSDS to their own MSDS.